


Piab adds new sizes to bellows suction cup line

B – BELLOWS SUCTION CUPS



Extra sizes, more functions, additional fittings and entire bellows suction cup line in configurator



PIAB IS EXTENDING its generic line of bellows suction cups to include cups measuring 90 mm in diameter, further broadening its already extensive application range. Two smaller cup sizes, 13 and 26 mm, were recently added to the line. In the near future, Piab plans to add one further size, B65, to this popular bellows suction cup line.

THE NEW B90 CUP is available in four different materials - nitrile rubber (NBR), the non-marking HNBR, and two grades of silicone. The standard grade silicone is used for bellows cups widely used within the plastics and packaging industries, and the alternative food-grade silicone is offered for cups used by industries that need to adhere to hygiene standards set by the US (FDA 21CFR177.2600) and/or the EU (EU 1935/2004).

Technical data

Description	Material	Lifting forces vertical to the surface, N, at vacuum level			Lifting forces parallel to the surface, N, at vacuum level		
		20 -kPa	60 -kPa	90 -kPa	20 -kPa	60 -kPa	90 -kPa
B90	Nitrile PVC, NBR	93.5	209.7	310.6	101.8	221.4	280.7
	Silicone, Sil	109.5	205.1	259.7	102.2	170.0	202.7
	Silicone, FDA	103.2	200.8	265.7	113.0	161.0	206.8
	HNBR	111.8	307.9	450.9	116.3	243.9	309.3

For full configuration of suction cup please visit piab.com

S · B10-2S50 · XXX · 00


Suction cup		
Code	Type	
B	Bellows	
Code	Size	Group
5	Ø 5mm	A
8	Ø 8mm	A
10-2	Ø 10mm model 2*	B
13-2	Ø 13mm model 2*	B
15	Ø 15mm	B
15-2	Ø 15mm model 2*	B
20	Ø 20mm	C
26	Ø 26mm	C
30	Ø 30mm	C
30-2	Ø 30mm model 2*	D
40	Ø 40mm	D
50	Ø 50mm	D
50-2	Ø 50mm model 2*	D
75	Ø 75mm	E
75-2	Ø 75mm model 2*	E
90	Ø 90mm	E
110	Ø 110mm	F
110-2	Ø 110mm model 2*	F
150	Ø 150mm	G
Code	Material	
CR	Chloroprene	
S	Silicone, SIL	
SF	Silicone FDA, SIL FDA	
CS	Conductive Silicone, CSIL	
HN	Hydrogenated Nitrile, HNBR	
NP	Nitrile-PVC, NPV	
T	Thermoelastich polyurethane, TPU	
CE	Conductive EPDM	
Code	Hardness	
50	50 °Shore A	
60	60 °Shore A	
75	75 °Shore A	
81	81 °Shore A	

Fitting								
Code	Type	A	B	C	D	E	F	G
X	None	•	•	•	•	•	•	•
G	G-Thread		•	•	•	•	•	•
M	M-Thread	•	•	•				
NS	NPSF-Thread				•	•	•	
NT	NPT Thread				•	•		
Code	Size	A	B	C	D	E	F	G
X	None	•	•	•	•	•	•	•
M5	M5	•	•	•				
5M5	5xM5			•				
18	1/8"		•	•	•	•		
14	1/4"				•			
38	3/8"				•	•	•	
518	5x1/8"				•			
12	1/2"					•	•	•
34	3/4"							•
Code	Style	A	B	C	D	E	F	G
X	None	•	•	•	•	•	•	•
M	Male	•	•	•	•			
F	Female			•	•	•	•	•
MMM5F	Male with Metric M5 Female			•				
MMM5FC	Male with Metric M5 Female Composite			•				
FC	Female composite				•			

Option	
Code	Description
00	No option
01	Filter mesh
02	Filter disc
50	Filter mesh and filter disc
52	Dual flow control valve
53	Dual flow control valve and filter disc
54	Dual flow control valve and filter mesh
55	Dual flow control valve, filter disc and filter mesh



* For cups less than 26 mm the XX-2 stands for an enhanced design. Due to size those cups can't carry a filter. For cups larger than 26 mm, the YY-2 model means the cup is designed to carry a filter.



Piab around the world

BRAZIL – Sao Paulo
+55 11 4492 9050
info-brasil@piab.com

CANADA – Hingham MA (US)
+1 781 337 7309
info-usa@piab.com

CHINA – Shanghai
+86 21 5237 6545
info-china@piab.com

FRANCE – Lagny sur Marne
+33 1 6430 8267
info-france@piab.com

GERMANY – Butzbach
+49 6033 7960-0
info-germany@piab.com

GERMANY – Schmallenberg
Robotic Gripping
+49 (0) 29 72/962 17-11
info-germany@piab.com

MEXICO – Hingham MA (US)
+1 781 337 7309
info-mxca@piab.com

INDIA – Chennai
+91 8754 47 32 48
info-india@piab.com

ITALY – Torino
+39 011 226 36 66
info-italy@piab.com

JAPAN – Tokyo
+81 3 6662 8118
info-japan@piab.com

POLAND – Gdansk
+48 58 785 08 50
info-poland@piab.com

SPAIN – Barcelona
+34 93 6333876
info-spain@piab.com

SINGAPORE
+65 6455 7006
info-singapore@piab.com

SWEDEN – Stockholm (HQ)
+46 8 630 25 00
info-sweden@piab.com

SWEDEN – Mölndal
Ergonomic Handling
+46 31 67 01 00
info-sweden@piab.com

UNITED KINGDOM – Loughborough
+44 1509 857 010
info-uk@piab.com

USA – Hingham (MA)
+1 781 337 7309
info-usa@piab.com

USA – Xenia (OH)
Robotic Gripping
+1 888 727 3628
info-usa@piab.com

USA – Charlotte (NC)
Ergonomic Handling
+1 704 527 5052
info-usa@piab.com